

OF-1750 SERIES

OF-1750 is a Floor to Floor Seismic Expansion Joint Cover, featuring a Standard Cover Plate. It's an economical solution for retrofit and surface mount installations, designed specifically for uneven slab conditions. Pre-drilled, counter sunk holes make installation easy, while the beveled edges and serrated plates provide traction for pedestrian traffic. This Cover Plate is available in Mill Finish.



The OF-1750 model accommodates up to 100% movement caused by thermal or seismic activity.


Its aluminum body offers a lightweight yet durable solution, designed to handle heavy pedestrian traffic. Pre-drilled, counter-sunk holes allow for quick and efficient installation, while the slip-resistant surface improves safety.

It is also compatible with fire barrier systems, making it a reliable, code-compliant choice for commercial and public applications.


MODEL	JOINT WIDTH	HEIGHT OPTIONS	SIGHTLINE	TOTAL MOVEMENT
OF-1750-50W210	50	23 / 8	210	78
OF-1750-50W238	50	34 / 6	238	100
OF-1750-75W228	75	23 / 7	228	95
OF-1750-75W277	75	34 / 9	277	153
OF-1750-100W267	100	69 / 6	267	135
OF-1750-100W302	100	34 / 6	302	100
OF-1750-150W350	150	23 / 7	350	150
OF-1750-200W398	200	50 / 15	398	270
OF-1750-200W400	200	43 / 12	400	235
OF-1750-200W500	200	94 / 13	500	267
OF-1750-250W448	250	50 / 15	448	320
OF-1750-300W448	300	50 / 15	448	370

PRODUCT HIGHLIGHTS:


- Seamless, flush-mount design maintains architectural aesthetics.
- Compatible with a wide range of flooring finishes for flexible installation.
- Low-maintenance construction ensures long-term reliability.
- Engineered for durability in high-traffic areas; resistant to impact and abrasion.
- Fast installation with pre-drilled, counter-sunk mounting holes.




OF-1750 SERIES




OF-1750-50W210
JW : 50 H: 23 / 8 S: 210 M: 78




OF-1750-50W238
JW : 50 H: 34 / 6 S: 238 M: 100




OF-1750-75W228
JW : 75 H: 23 / 7 S: 228 M: 95




OF-1750-75W277
JW : 75 H: 34 / 9 S: 277 M: 153




OF-1750-100W267
JW : 100 H: 69 / 6 S: 267 M: 135



OF-1750-100W302
JW : 100 H: 34 / 6 S: 302 M: 100




OF-1750-150W350
JW : 150 H: 23 / 7 S: 350 M: 150




OF-1750-200W398
JW : 200 H: 50 / 15 S: 398 M: 270


OF-1750 SERIES




OF-1750-200W400
JW : 200 H: 43 / 12 S: 400 M: 235



OF-1750-200W500
JW : 200 H: 94 / 13 S: 500 M: 267



OF-1750-250W448
JW : 250 H: 50 / 15 S: 448 M: 320



OF-1750-300W448
JW : 300 H: 50 / 15 S: 448 M: 370