



Z-1670 A SERIES



■ This recessed, all-metal cover is designed for interior applications with significant foot traffic, such as malls and airports. It has a unique interlocking design that allows for horizontal movement and some vertical deflection and can withstand heavy rolling loads. Different frame heights are available.



■ ADVANTAGES


- Maintains a virtually flush finish
- Interlocking design for durability
- Different frame heights available
- Highly resistant to rolling loads, distortion, and wear
- Used in areas of heavy duty loading such as forklifts and trucks with pneumatic tires
- Small gasket in interlocking assembly eliminates noise and prevents infiltration of liquids

MODEL	JOINT WIDTH	HEIGHT OPTIONS	SIGHTLINE	BLOCKOUT WIDTH	TOTAL MOVEMENT
Z-1670A 100W127	100	60	127	210	32
Z-1670A 100W130	100	60	130	210	32
Z-1670A 100W143	100	50	143	250	32
Z-1670A 150W158	150	50	158	300	60
Z-1670A 200W209	200	50	209	340	100
Z-1670A 200W240	200	50	240	400	80
Z-1670A 200W245	200	50	245	380	100
Z-1670A 200W280	200	50	280	400	80
Z-1670A 215W234	215	90	234	355	80
ZK-1670A 100W127	100	60	127	167	32
ZK-1670A 100W130	100	60	130	170	32
ZK-1670A 100W145	100	50	145	198	32
ZK-1670A 150W158	150	50	158	228	60
ZK-1670A 200W208	200	50	208	273	100
ZK-1670A 200W232	200	50	232	313	80
ZK-1670A 200W223	200	50	223	290	100
ZK-1670A 200W240	200	50	240	300	80
ZK-1670A 215W224	215	90	224	285	80







Z-1670 A SERIES




■ Z-1670A 100W127
JW :100 H:60 S:127 BW:210 M:32




■ ZK-1670A 100W127
JW :100 H:60 S:127 BW:167 M:32




■ Z-1670A 100W130
JW :100 H:60 S:130 BW:210 M:32




■ ZK-1670A 100W130
JW :100 H:60 S:130 BW:170 M:32




■ Z-1670A 100W143
JW :100 H:50 S:143 BW:250 M:32




■ ZK-1670A 100W145
JW :100 H:50 S:145 BW:198 M:32




■ Z-1670A 150W158
JW :150 H:50 S:158 BW:300 M:60



■ ZK-1670A 150W158
JW :150 H:50 S:158 BW:228 M:60




■ Z-1670A 200W209
JW :200 H:50 S:209 BW:340 M:100




■ ZK-1670A 200W208
JW :200 H:50 S:208 BW:273 M:100




Z-1670 A SERIES




■ Z-1670A 200W240
JW :200 H:50 S:240 BW:400 M:80




■ Z-1670A 200W245
JW :200 H:50 S:245 BW:380 M:100




■ Z-1670A 200W280
JW :200 H:50 S:280 BW:400 M:80




■ Z-1670A 215W234
JW :215 H:90 S:234 BW:355 M:80




■ ZK-1670A 200W232
JW :200 H:50 S:232 BW:313 M:80



■ ZK-1670A 200W223
JW :200 H:50 S:223 BW:290 M:100



■ ZK-1670A 200W240
JW :200 H:50 S:240 BW:300 M:80



■ ZK-1670A 215W224
JW :215 H:90 S:224 BW:285 M:80